

EXPERIMENTAL VALIDATION OF AN ELECTROMAGNETIC JET AT THE OUTPUT OF A RECTANGULAR WAVEGUIDE

by Jana Publication & Research

Submission date: 14-Feb-2025 12:12PM (UTC+0700)

Submission ID: 2579265151

File name: IJAR-50267.docx (1.4M)

Word count: 2252

Character count: 12898



Journal Homepage: - www.journalijar.com
**INTERNATIONAL JOURNAL OF
ADVANCED RESEARCH (IJAR)**



Article DOI: 10.21474/IJAR01/xxx
DOI URL: <http://dx.doi.org/10.21474/IJAR01/xxx>

RESEARCH ARTICLE

**EXPERIMENTAL VALIDATION OF AN ELECTROMAGNETIC JET AT THE OUTPUT OF A
RECTANGULAR WAVEGUIDE**

Manuscript Info

Manuscript History

Received: xxxxxxxxxxxxxxxx
Final Accepted: xxxxxxxxxxxxxxxx
Published: xxxxxxxxxxxxxxxx

Key words:-

Rectangular Waveguide,
Electromagnetic Waves, and Near-Field
Calibration, photonic jet, electromagnetic jet

Abstract

This study explores the generation of electromagnetic jets using a PTFE-loaded rectangular waveguide with an optimally designed tip. Due to the complexity of the structure, an optimization study was conducted to enhance computational efficiency while ensuring accuracy. Two prototypes were fabricated and experimentally tested, with key measurement challenges successfully addressed. The results demonstrate that a PTFE-loaded waveguide can effectively generate an electromagnetic jet, paving the way for potential applications in high-resolution imaging, beam shaping, and advanced electromagnetic wave control.

6
Copy Right, IJAR, 2023.. All rights reserved.

Introduction:

Among non-destructive and contactless inspection techniques, near-field measurement in the microwave domain enables the detection and characterization of small defects in materials and devices. Although the inspected areas are significantly smaller than those in far-field methods, the dimensions of the defects sought can be smaller than the wavelength, or in some cases, may exceed the diffraction limit. The principle of these techniques relies on the collection of electromagnetic waves in close proximity to the devices under test using circular [1] or rectangular [2] probes. They thus offer good spatial resolution and are particularly useful for applications such as surface state measurement or the detection of surface and internal defects in materials, provided the materials allow electromagnetic wave penetration. However, since the sample under measurement is placed very close to the probe, this approach presents several challenges, including risks of damage due to contact with the surface and, more importantly, diffraction and interference effects, which are of particular interest in this article.

An innovative solution, known as the photonic jet, was introduced by Chen et al. in 2004 [3]. This technique leverages the interaction between light and a dielectric sphere to achieve near-field focusing, resulting in a full-width at half-maximum (FWHM) smaller than half a wavelength, thus overcoming the conventional diffraction limit [4]. This approach can then be used to perform measurements in an intermediate zone close to the near-field region. Thus, this technology has been implemented in the microwave domain using a parallel plate waveguide [5-6], a horn antenna [7], and a rectangular waveguide [8]. This latter structure is based on an open rectangular waveguide extended by a polytetrafluoroethylene (PTFE) extension, enabling the generation of what has been termed an electromagnetic jet by generalizing the concept of the photonic jet [8]. This configuration concentrates the near-field distribution near the extension, over a spatial region potentially smaller than the diffraction limit.

In this article, we study the numerical and experimental validation procedures for the distribution of electromagnetic fields in a region slightly beyond the near-field zone and demonstrate the possibility of generating an

electromagnetic jet in the microwave domain at 15 GHz using a rectangular waveguide equipped with a PTFE extension.

RESULTS AND DISCUSSION

Numerical Results

The structure consists of a WR90 waveguide equipped with a PTFE extension (Fig. 1a). The waveguide is excited at 15 GHz by the TE₁₀ mode. The PTFE extension penetrates inside the waveguide and then tapers into a tip to create effective impedance matching between the empty rectangular waveguide and the dielectric-filled waveguide.

A full-wave simulation of the structure and its radiation outside is performed using an electromagnetic simulator based on the finite element method. To reduce the computational volume and avoid potential wave reflections at the computational boundaries, absorbing layers known as Perfectly Matched Layers (PML) are applied at the limits of the computational space. This technique is based on the impedance matching condition between two media with the same refractive index, one of which is absorbing. This modeling method saves computational time by reducing the volume to be discretized. Figure 1 illustrates the simulation results of the complete structure.

The rectangular structure is presented (Fig. 1a) with its free-space computational domain, represented by the outer box in red dashed lines. Figure 1b shows the results obtained with simple free-space radiation conditions; a standing wave regime is observed, which does not converge to the expected response. In contrast, Figure 1c, obtained with PML for the same mesh, offers much better results. The analysis of Figure 1c allows for a correct visualization of the field distribution outside the structure. A strong field concentration zone is observed at the output of the PTFE tip. This focal zone is intense and narrow, smaller than the wavelength. The -3dB limit is indeed delimited by the yellow contour (the total width of Figure 1c represents 4.75λ).




Fig.1: Modelling a rectangular waveguide with a rectangular-section PTFE extension and its impedance adaptation. (a) 3D structure bounded by Perfectly Matched Layers, (b) free-space distribution with simple radiative condition and (c) with PML

Experimental Results

To validate the accuracy of the simulation results, the presented device was fabricated, and an experimental study was conducted.

The measurement bench used (Fig. 2) to characterize the electric field distribution at the output of the PTFE extension consists of the rectangular waveguide equipped with its PTFE extension on the emitting side and a field probe made from an open empty rectangular waveguide on the receiving side. Both the PTFE-loaded waveguide and the probe are connected to a Vector Network Analyzer (VNA). On the emitting side, the loaded waveguide is fixed on a stationary support, and on the receiving side, the probe is positioned on a two-axis robotic arm, allowing for the probing of the desired planes at the output of the PTFE extension.




Fig. 2: Experimental setup for mapping the electromagnetic field generated at the end of the PTFE extension of the rectangular waveguide. (a) coaxial cable (b) WR/Coaxial transition (c) rectangular waveguide (d) PTFE tip (e) open rectangular guide probe (f) two-axis robotic arm (g) VNA (h) Control PC.

The VNA is first calibrated at the end of the coaxial cables to minimize losses and errors in the measurement system. The prototype, labeled as Prototype No. 1 and depicted in Figure 3a, was subsequently tested on the measurement bench. The results of this test, shown in Figure 3b, illustrate the measurements obtained during the scanning of the space at the output of the PTFE tip by the probe. A standing wave is clearly visible, superimposed on the field generated by the device, which degrades the experimental acquisition of the electric field distribution at the output.




Fig. 3: (a) 3D view of Prototype No. 1, illustrating the waveguide equipped with a flange terminated by a PTFE tip. (b) Measurements of the normalized electric field intensity distribution (IEF) in free space at the output of the rectangular waveguide with a PTFE extension, for a frequency of 15 GHz.

We then sought the elements that could be the origin of this phenomenon. As seen in Figure 3a, the connecting flange of the rectangular waveguide is bulky and significantly protrudes from the PTFE tip. To improve the result, the flange was cut to obtain prototype N°2, as depicted in Figure 4a. The mapping of this second prototype was then performed, and the results are presented in Figure 4b. These results show that the standing wave has been significantly reduced compared to prototype N°1. A spatial distribution closer to the simulation results is now observed. However, parasitic phenomena remain, notably a split focal zone, indicative of destructive interference at the center of the intended focus.




Fig. 4: (a) 3D view of Prototype No. 2 illustrating the waveguide without a flange, terminated by a PTFE tip. (b) Measurements of the normalized electric field intensity distribution ($|E|^2$) in free space at the output of the rectangular waveguide with a PTFE extension, for a frequency of 15 GHz.

These perturbations originate from the measurement bench environment. To eliminate them, we implemented a calibration method for external elements, inspired by techniques used in far-field measurements. We opted for a TRL calibration [9] based on the *Thru* (a direct connection between the two ports), *Reflect* (a short-circuit measurement using a metal plate), and *Line* (a transmission line of a determined length) standards. This method requires several steps, illustrated in Figure 5.

First, we measure the reflection coefficients (Reflect), which involves placing a short circuit (in this case, a large metal plate) between port 1 and port 2 (Fig. 5a). The metal plate is placed at a distance a , corresponding to the focus of the electromagnetic jet. Subsequently, port 2 is calibrated using the same short circuit (Fig. 5b). The next step involves establishing a direct connection between the two ports, as illustrated in Figure 5c. Finally, in the Line step (Fig. 5d), ports 1 and 2 are positioned at a distance of $2a$ plus a quarter of the wavelength ($\lambda/4$), which is determined by the operating frequency.




Fig.5: Calibration Procedure. (a) Reflect for port 1 (b) Reflect for port N°2 (c) Thru (d) Line.

The spatial distribution of the electric field of prototype N°2 (Fig. 4a) was measured again following the established protocol. The results, depicted in Figure 6b, demonstrate a significant improvement, with a further reduction of the standing waves superimposed on the measurement. Notably, the focal zone is no longer divided into two parts, as previously observed in Figure 5b. The measurements now exhibit good agreement with the simulation results (Fig. 6a), particularly in terms of the -3dB width along the x-direction.




Fig.6: Mapping of the normalized transverse electric field intensity in the plane defined by the propagation direction (z) and the vertical polarization of the excitation (x): (a) simulated mapping and (b) Measured mapping.

From the intensities obtained in Figure 6b, we deduced the amplitude of the electric field (Fig. 7). This clearly reveals wavefronts that, over a width smaller than the wavelength (along the x -axis), can be considered quasi-planar over a distance of 2 or 3 wavelengths along the z -axis. This observation, combined with the strong intensity at the focus, allows the phenomenon to be qualified as an electromagnetic jet according to the criteria given in [4].




Fig.7: Measured amplitude of the electric field in the plane defined by the propagation direction (z) and the vertical polarization of the excitation (x) at 15GHz.

Based on the intensities shown in Figure 6b, the amplitude of the electric field was derived (Fig. 7). The results distinctly reveal wavefronts that, over a width smaller than the wavelength (along the x -axis), can be regarded as quasi-planar across a distance of 2 to 3 wavelengths along the z -axis. This behavior, coupled with the high intensity observed at the focal point, meets the criteria outlined in [4] for characterizing the phenomenon as an electromagnetic jet.

Conclusion:

An open WR90 rectangular waveguide, operating in the frequency band from 8.2 GHz to 12.4 GHz, was studied to generate an electromagnetic jet in the near field at 15 GHz.

Given the complexity of the structure under study, it must be fully modeled, starting from the empty waveguide, passing through the matching tip, the loaded waveguide, and the PTFE tip, to observe what happens in the space near the near-field zone. Due to the size of the model to be simulated, a study was conducted to balance computational efficiency and accuracy. To ensure good convergence while minimizing computational volume, Perfectly Matched Layer (PML) boundary conditions were employed, yielding satisfactory results.

Two prototypes were fabricated and experimentally tested. The major issue encountered was the perturbation of the measurement by standing waves. To mitigate this issue, prototype N°2 was designed, removing connecting flange of the rectangular waveguide. Additionally, the implementation of TRL calibration, alongside VNA calibration, significantly improved measurement accuracy, leading to strong agreement between simulation and experimental field mapping results.

Through both simulation and experimental validation, we have demonstrated that an electromagnetic jet can be effectively generated using a PTFE-loaded rectangular waveguide with an appropriately designed tip.

References:

- [1] Ramzi, M. R., Abou-Khousa, M., & Prayudi, I. (2017). Near-field microwave imaging using open-ended circular waveguide probes. *IEEE sensors journal*, 17(8), 2359-2366.
- [2] Qaddoumi, N. N., Abou-Khousa, M. et Saleh, W. M. (2006). Near-field microwave imaging utilizing tapered rectangular waveguides. *IEEE transactions on instrumentation and measurement*, 55(5), 1752-1756.
- [3] Z. Chen, A. Taflove, et V. Backman, « Photonic nanojet enhancement of backscattering of light by nanoparticles: a potential novel visible-light ultramicroscopy technique », *Opt. Express*, vol. 12, no 7, p. 1214, 2004, doi: 10.1364/OPEX.12.001214.
- [4] Lecler, S., Takakura, Y., & Meyrueis, P. (2005). Properties of a three-dimensional photonic jet. *Optics letters*, 30(19), 2641-2643.
- [5] B. Ounnas, B. Sauviac, Y. Takakura, S. Lecler, B. Bayard, et S. Robert, « Single and Dual Photonic Jets and Corresponding Backscattering Enhancement with Tipped Waveguides: Direct Observation at Microwave Frequencies », *IEEE Trans. Antennas Propagat.*, vol. 63, no 12, p. 5612-5618, dec. 2015, doi: 10.1109/TAP.2015.2491328.
- [6] H. Hyani, B. Sauviac, G. Granet, B. Bayard, S. Robert, and K. Edee, "Electromagnetic jet produced with loaded waveguide ended by an optimized multi-rectangular sections tip," *Journal of Electromagnetic Waves and Applications*, pp. 1–10, Sep. 2023, doi: 10.1080/09205071.2023.2262984.
- [7] M. Granger, A. Ghaddar, B. Bayard, and B. Sauviac, "Toward Free Space Local Characterization Method in Microwave," presented at the IEEE MTT-S International Microwave Symposium, Washington, DC, USA, Jun. 2024. doi: 10.1109/IMS40175.2024.10600270.
- [8] B. Sauviac, A. Ghaddar, A. Deubaibe, H. Hyani, and B. Bayard, "Toward microwave electromagnetic jets for detection, imaging, and local characterization applications," in *Nanophotonics X*, Strasbourg, France, Apr. 2024.
- [9] G. F. Engen and C. A. Hoer, "Thru-reflect-line: An improved technique for calibrating the dual, six-port automatic network analyzer," *IEEE transactions on microwave theory and techniques*, vol. 27, no. 12, pp. 987–993, 1979.

EXPERIMENTAL VALIDATION OF AN ELECTROMAGNETIC JET AT THE OUTPUT OF A RECTANGULAR WAVEGUIDE

ORIGINALITY REPORT

9%

SIMILARITY INDEX

6%

INTERNET SOURCES

6%

PUBLICATIONS

3%

STUDENT PAPERS

PRIMARY SOURCES

1

Submitted to Universitas Brawijaya

Student Paper

3%

2

journalcra.com

Internet Source

2%

3

Badreddine Ounnas, Bruno Sauviac, Yoshitake Takakura, Sylvain Lecler, Bernard Bayard, Stephane Robert. "Single and Dual Photonic Jets and Corresponding Backscattering Enhancement With Tipped Waveguides: Direct Observation at Microwave Frequencies", IEEE Transactions on Antennas and Propagation, 2015

Publication

1%

4

lucy.mrs.org

Internet Source

1%

5

H. KUBO. "A Left-Handed Transmission Line Composed of Two Waveguides with Stubs", IEICE Transactions on Electronics, 11/01/2008

Publication

<1%

6

www.journalijar.com

Internet Source

<1%

7

Cheng-Yang Liu, Meng-Ju Yeh. "Experimental verification of twin photonic nanojets from a dielectric microcylinder", Optics Letters, 2019

Publication

<1%

8

Hishem Hyani, Bruno Sauviac, Gérard Granet, Bernard Bayard, Stéphane Robert, Kofi Edee. "Electromagnetic jet produced with loaded

<1%

waveguide ended by an optimized multi-
rectangular sections tip", Journal of
Electromagnetic Waves and Applications,
2023

Publication

9

M. Engl, K. Schiller, W. Eurskens, R. Weigel.
"High Resolution Time Domain and Frequency
Domain Package Characterization up to 65
GHz", 56th Electronic Components and
Technology Conference 2006, 2006

Publication

<1%

10

core.ac.uk
Internet Source

<1%

Exclude quotes On

Exclude matches Off

Exclude bibliography On