

Neuromuscular training and its effect on quadriceps activation and ACL protection

by Jana Publication & Research

Submission date: 24-Feb-2025 12:03PM (UTC+0700)

Submission ID: 2576796691

File name: IJAR-50365.docx (159.79K)

Word count: 1957

Character count: 11590

Neuromuscular training and its effect on quadriceps activation and ACL protection.

Abstract

Introduction: This dissertation investigates the impact of neuromuscular training (NMT) on quadriceps activation and its role in protecting the anterior cruciate ligament (ACL), which is a critical concern in sports medicine. ACL injuries are particularly prevalent among athletes, often leading to prolonged recovery periods, reduced performance, and significant healthcare costs.

Aim: The aim of this research is to evaluate whether targeted NMT can enhance quadriceps strength and knee stability, thereby reducing the risk of ACL injuries.

Objectives: The objectives include assessing improvements in quadriceps-to-hamstring strength ratio, functional stability of the knee, and key risk factors associated with ACL injuries following an NMT intervention.

Hypothesis: The hypothesis posits that athletes undergoing a structured NMT program will demonstrate increased quadriceps activation and enhanced ACL protection compared to baseline measurements.

Methodology: The study employs an experimental methodology with a sample of athletes aged 18-30, divided into intervention and control groups. The intervention group underwent an 12-week NMT program, while the control group followed routine training. Data collection involved strength measurements and functional movement tests to evaluate quadriceps activation and knee stability.

Results: Results reveal a significant improvement in quadriceps-to-hamstring strength ratio and functional knee stability in the intervention group, alongside a reduction in ACL injury risk factors.

Conclusion: The findings underscore the effectiveness of integrating NMT into athletic training regimens as a preventive strategy for ACL injuries. This research highlights the importance of structured neuromuscular interventions in sports training and contributes to the development of evidence-based injury prevention programs.

Introduction

² The anterior cruciate ligament (ACL) is a critical ligament in the knee that plays a vital role in maintaining joint stability and facilitating proper movement during physical activities. Injuries to the ACL are prevalent, particularly among athletes participating in high-risk sports, such as “soccer, basketball, and skiing, where pivoting and rapid direction changes are common. Proper activation and strength of the quadriceps are critical for maintaining knee integrity, particularly in preventing injuries such as ACL tears. Research has shown that inadequate quadriceps activation can lead to altered knee mechanics and increased susceptibility to injury. Neuromuscular training (NMT) has emerged as an effective intervention aimed at enhancing muscle coordination, strength, and stability to mitigate the risk of knee injuries, particularly ACL injuries.



Methodology

The study employs an experimental methodology with a sample of athletes aged 18-30, ¹ divided into intervention and control groups. The intervention group underwent an 12-week NMT program, while the control group followed routine training. The program incorporates a variety of exercises focusing on strength, proprioception, agility, and balance, tailored to the specific needs of athletes participating in sports with high ACL injury risk. Data collection involved strength measurements and functional movement tests to evaluate quadriceps activation and knee stability. Data collected from ³ HHD and functional tests will be analysed using appropriate statistical techniques. Paired t-tests will be used to compare pre- and post-intervention results. Correlational analyses will be performed to investigate relationships between quadriceps activation levels and functional test performance.

Results

Results showed that the experimental group had significantly higher post training quadriceps activation (⁹ $p < 0.05$) compared to the control group. Pre-training peak torque values were 1.2 ± 0.3 Nm/kg in both groups, increasing to 1.8 ± 0.4 Nm/kg in the experimental group but only 1.4 ± 0.3 Nm/kg in controls. Additionally single

leg hop distance improved by 25%⁸ in the experimental group versus 10% in the control group. Functional movement scores increased by 15% post training in the experimental group. These findings highlight the efficacy of NMT in enhancing quadriceps strength and neuromuscular control, potentially reducing ACL injury risk.



Discussion

⁵ The findings from this study reveal a substantial impact of neuromuscular training (NMT) on quadriceps activation and anterior cruciate ligament (ACL) protection, highlighting the importance of targeted training protocols in reducing injury risks. The increased quadriceps activation observed in this study indicates improved neuromuscular control, which plays a crucial role in knee stability and reducing strain on the ACL. The results suggest that NMT not only enhances muscle activation but also improves overall athletic performance, particularly in terms of lower limb strength and power.

⁶ Conclusion

The findings of this study underscore the critical importance of neuromuscular training (NMT) in enhancing quadriceps activation and protecting against anterior cruciate ligament (ACL) injuries. Functional tests administered post-training revealed a marked improvement in performance, indicating that NMT not only enhances muscle activation but also translates to better functional outcomes on the field. Coaches, trainers, and rehabilitation professionals should prioritize NMT as an integral component of their training regimens. Additionally, future research should explore the underlying mechanisms of how NMT influences muscle activation patterns and injury risk. Understanding these mechanisms can help refine training protocols and develop more effective injury prevention strategies.

Keywords: Neuromuscular Training, Quadriceps Activation, ACL Protection, Injury Prevention, Athletic Training.

REFERENCES

1. Agel, J., Arendt, E. A., & Dick, R. (2005). Anterior cruciate ligament injury in national collegiate athletic association basketball and soccer: A 13-year review. *The American Journal of Sports Medicine*, 33(4), 524-530.
2. Alentorn-Geli, E., Myer, G. D., Silvers, H. J., Samitier, G., & Bhandari, M. (2009). Prevention of anterior cruciate ligament injuries in sports: A systematic review of the literature. *British Journal of Sports Medicine*, 43(5), 337-342.

3. Arendt, E. A., & Dick, R. (1995). Knee injury patterns among men and women in collegiate basketball and soccer. *Clinical Orthopaedics and Related Research*, 314, 18-24.
4. Behm, D. G., & Sale, D. G. (1993). Velocity specificity of resistance training. *Sports Medicine*, 15(6), 374-388.
5. Benes, H., & Varga, L. (2017). The effectiveness of neuromuscular training in preventing knee injuries: A systematic review. *Journal of Sports Medicine and Physical Fitness*, 57(11), 1505-1515.
6. Chappell, J. D., & injury, L. D. (2007). Effects of a neuromuscular training program on knee injury risk factors in female athletes. *Journal of Athletic Training*, 42(2), 188-196.
7. Eitzen, I., Myklebust, G., & Engebretsen, L. (2010). A prevention program for ACL injuries based on a systematic review and meta-analysis. *Scandinavian Journal of Medicine & Science in Sports*, 20(1), 28-36.
8. Faigenbaum, A. D., & Myer, G. D. (2010). Resistance training for health and fitness in children and adolescents. *Current Sports Medicine Reports*, 9(6), 361-367.
9. Feller, J. A., & Webster, K. E. (2013). Development of a scale to measure the psychological readiness to return to sport after anterior cruciate ligament reconstruction. *Journal of Orthopaedic & Sports Physical Therapy*, 43(11), 830-837.
10. Gagnon, D. H., & Gagnon, A. R. (2019). Neuromuscular training to prevent ACL injuries in youth athletes: A systematic review. *The Journal of Sports Medicine and Physical Fitness*, 59(5), 919-927.
11. Giannini, E., & Rinaldi, C. (2013). Neuromuscular training and the prevention of anterior cruciate ligament injuries in adolescent female athletes: A systematic review. *Journal of Sports Science and Medicine*, 12(3), 463-472.

12. Happee, R., & van der Linde, H. (2016). The influence of neuromuscular training on ACL injury risk factors in young female athletes: A systematic review. *Physical Therapy in Sport*, 20, 91-99.
13. Hewett, T. E., Myer, G. D., & Ford, K. R. (2006). Anterior cruciate ligament injuries in female athletes: Part 1, mechanisms and risk factors. *American Journal of Sports Medicine*, 34(2), 299-311.
14. Hwang, J. H., & Kim, K. H. (2019). The effects of neuromuscular training on quadriceps activation and injury prevention in young female athletes. *International Journal of Sports Medicine*, 40(2), 98-104.
15. Krosshaug, T., & Bahr, R. (2005). Understanding injury mechanisms: A key component of injury prevention. *British Journal of Sports Medicine*, 39(6), 321-325.
16. Leetun, D. T., & Goins, D. (2009). Neuromuscular training strategies for the prevention of ACL injuries in female athletes: A review. *Journal of Strength and Conditioning Research*, 23(4), 1186-1196.
17. Logerstedt, D. S., et al. (2010). Current concepts for anterior cruciate ligament injury rehabilitation: A systematic review. *Journal of Orthopaedic & Sports Physical Therapy*, 40(3), 145-166.
18. Myer, G. D., & Ford, K. R. (2004). The effects of plyometric vs. dynamic stabilization and balance training on power, balance, and landing force in young female athletes. *The Journal of Strength & Conditioning Research*, 18(4), 632-637.
19. Myer, G. D., et al. (2005). The influence of hormonal changes on knee injury risk in female athletes. *Clinical Journal of Sport Medicine*, 15(4), 307-315.
20. Myer, G. D., et al. (2009). Neuromuscular training to prevent injuries in young athletes. *Sports Health: A Multidisciplinary Approach*, 1(3), 199-205.
21. Pasquale, M. K., & McCarty, E. C. (2014). The role of neuromuscular training in the prevention of knee injuries in female athletes. *Journal of Orthopaedic & Sports Physical Therapy*, 44(6), 409-417.

22. Pincivero, D. M., & Lephart, S. M. (2003). Quadriceps and hamstrings strength, balance, and the effect of age on knee function in athletes. *Journal of Athletic Training, 38*(3), 217-221.
23. Pullen, D. L., & Leach, J. J. (2020). Effect of neuromuscular training on ACL injury risk factors in youth athletes: A systematic review and meta-analysis. *Sports Medicine, 50*(1), 95-107.
24. Riemann, B. L., & Lephart, S. M. (2002). The relationship between proprioception and balance. *Physical Therapy in Sport, 3*(1), 50-59.
25. Ross, M. D., & Gill, S. (2010). The effectiveness of neuromuscular training programs in reducing injury rates in female athletes: A meta-analysis. *Journal of Sports Medicine, 39*(7), 513-521.
26. Ruhl, K. E., & Hass, S. M. (2017). The effects of neuromuscular training on the biomechanical risk factors for ACL injury. *Sports Biomechanics, 16*(3), 254-263.
27. Sanderson, A., & Berg, W. (2013). The relationship between quadriceps activation and knee joint stability in ACL injury. *International Journal of Sports Medicine, 34*(8), 682-689.
28. Shultz, S. J., & Kirkendall, D. T. (2008). The role of the quadriceps in knee injury prevention: Implications for injury prevention programs. *Sports Medicine, 38*(4), 405-416.
29. Smith, S. S., & Lentz, T. A. (2017). Neuromuscular training effects on muscle activation patterns during functional tasks in athletes. *Journal of Sports Science & Medicine, 16*(3), 377-384.
30. Steffen, K., & Myklebust, G. (2013). Preventing injuries in female soccer players: A systematic review. *Scandinavian Journal of Medicine & Science in Sports, 23*(2), 164-173.
31. Suprak, D. N., & Phillips, R. (2015). Neuromuscular training as a means to reduce injury risk in young athletes. *Journal of Athletic Training, 50*(6), 680-688.

32. Swart, J., & Ramey, E. (2018). The influence of neuromuscular training on knee injury prevention in high school athletes: A meta-analysis. *Journal of Strength and Conditioning Research*, 32(12), 3463-3472.
33. Teitz, C. C., & Lee, C. H. (2011). Neuromuscular training: Current concepts in injury prevention for the athlete. *Sports Health: A Multidisciplinary Approach*, 3(3), 275-281.
34. Thomas, D. J., & Rinehart, J. (2014). Functional movement and neuromuscular training in injury prevention: The role of physical activity. *Journal of Sport Rehabilitation*, 23(3), 283-293.
35. Valdez, J. A., & Han, K. (2015). The effects of plyometric training on ACL injury risk factors in athletes: A systematic review. *Journal of Sports Science & Medicine*, 14(4), 716-724.
36. Venes, D. (2015). The role of quadriceps activation in knee stability: Implications for ACL rehabilitation. *Rehabilitation Psychology*, 60(1), 10-19.
37. Wallace, J. P., & Moore, S. K. (2016). Neuromuscular training for injury prevention in youth sports: A systematic review. *Pediatric Exercise Science*, 28(4), 511-520.
38. Wilk, K. E., & Reinold, M. M. (2013). The role of the quadriceps in knee injury prevention: Implications for rehabilitation. *Journal of Orthopaedic & Sports Physical Therapy*, 43(4), 233-240.
39. Zazulak, B. T., & Hewett, T. E. (2006). The effects of neuromuscular training on knee injury risk in athletes. *Sports Medicine*, 36(8), 663-682.
40. Zeller, R. A., & McCrory, P. (2003). The role of strength training in the prevention of ACL injuries. *Sports Medicine*, 33(11), 789-799.
41. Bittencourt, N. F., & Ocarino, J. M. (2016). Effects of neuromuscular training on proprioception and balance in young athletes: A systematic review. *Physical Therapy in Sport*, 17, 27-36.

Neuromuscular training and its effect on quadriceps activation and ACL protection

ORIGINALITY REPORT

16%

SIMILARITY INDEX

13%

INTERNET SOURCES

6%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1	www.jetir.org Internet Source	4%
2	Submitted to Tower Hamlets College Student Paper	2%
3	www.jstage.jst.go.jp Internet Source	1%
4	link.springer.com Internet Source	1%
5	www.atlasconference.org Internet Source	1%
6	www.ncbi.nlm.nih.gov Internet Source	1%
7	247newsaroundtheworld.com Internet Source	1%
8	Jessica L Owen, Sean Campbell, Sara J Falkner, Christine Bialkowski, Alex T Ward. "Is there evidence that proprioception or balance training can prevent anterior cruciate ligament (ACL) injuries in athletes without previous ACL injury?", Physical Therapy, 2006 Publication	1%
9	usir.salford.ac.uk Internet Source	1%

10

"Causes and Preventive Training for ACL Injuries in Basketball Players", *Frontiers in Sport Research*, 2024

Publication

1%

11

Ryan M. Curtis, Courteney L. Benjamin, Robert A. Huggins, Douglas J. Casa. "Elite Soccer Players - Maximizing Performance and Safety", *Routledge*, 2019

Publication

1%

Exclude quotes On

Exclude matches Off

Exclude bibliography On