

Journal Homepage: - www.journalijar.com

INTERNATIONAL JOURNAL OF ADVANCED RESEARCH (IJAR)

ENTERNATIONAL ADCRINAL OF ART ANCED RESERVED BEST ARCHITECTURE.

Article DOI: 10.21474/IJAR01/19887 **DOI URL:** http://dx.doi.org/10.21474/IJAR01/19887

RESEARCH ARTICLE

ANXIETY AND NICOTINE DEPENDENCE: A CASE REPORT

- 1. Dr. Santosh Hande, PhD (Homoeopathy) Scholar, Tantia University, Sri Ganganagar, Rajasthan,
- 2. Dr. Yogita Chattopadhyaya ,Professor ,Tantia University, Sri Ganganagar, Rajasthan

Manuscript Info

Manuscript History

Received: 10 September 2024 Final Accepted: 19 October 2024 Published: November 2024

Key words:-

Anxiety, Nicotine Dependence, FTND-ST, HAM-A, Lycopodium

Abstract

Anxiety is a common comorbid condition in Nicotine dependent individuals. A patient of 41 years presented with anxiety and Nicotine dependence. After the proper case taking a most appropriate medicine Lycopodium 1M was selected. A proper follow-up record was maintained during the whole treatment process. After a month the patient showed significant relief in anxiety. This case study emphasis the role of Homoeopathy medicines in the management of anxiety associated with Nicotine dependence.

......

Copyright, IJAR, 2024,. All rights reserved.

Introduction:-

Nicotine Dependence is such a composite condition that includes not only physical factors but also psychological factors. Comorbidity in the form of Anxiety is commonly associated. The Presence of Anxiety in a Premorbid state predisposes a person to be easily addicted to Nicotine as research suggests People with Anxiety Disorders are more likely to consume Nicotine in various forms like Khaini,gutkha,Pan Masala i.e. smokeless and in smoke like bidi,cigarette,Hukkah and others and become dependent on Nicotine. Nicotine Dependence worsens the anxiety symptoms and both conditions often co-occur. Anxious people were found to have increased smoking rates. Nicotine dependence through Neurochemical Mechanism, there is a positive effect on mood and stress, as a result, the person is addicted, and withdrawal symptoms worsen the anxiety. Homoeopathy has a holistic approach in treatment that considers the Patient as a whole, analysis of the case in depth may have an important role in the Management of Anxiety associated with Nicotine Dependence.

Case Report-

A 41 year old male, consuming Tobacco since 20 years came on 13/5/2024.

History of present complaints-

Patient, 41 year old male, presented with the following complaints-

Patient was using Tobacco since 20 years, 2-3 packets (gutkha) per day. Sore pain in stomach persisting for the past 3 months, occasionally exacerbated post meals.

Crawling sensation in the legs, aggravated at night, interfering with sleep.

Chronic constipation with unsatisfactory defecation.

Brown discoloration of tongue.

Persistent anxiety about his health.

Overthinking, which leads to heaviness in the chest.

Corresponding Author:- Dr. Santosh Hande

Address:- PhD (Homoeopathy) Scholar, Tantia University, Sri Ganganagar, Rajasthan.

On examination-

Vitals-

Blood pressure- 140/90 mm Hg Heart rate - 88 beats per minute, regular Respiratory rate - 18 breaths per minute Temperature - Afebrile

Neurological examination-

Hyperaesthesia reported in the legs

Diagnostic assessment-

This case is diagnosed as Anxiety with Substance use disorder, specifically F17 Nicotine Dependence^[2,3] on the basis of diagnostic tool, FTND and F41 Anxiety as per HAM-A.

Fagerstrom Nicotine Dependence Scale- Smokeless Tobacco (FTND-ST) Score- 6 shows significant Nicotine Dependence.

Hamilton Anxiety Rating Scale (HAM-A) Score- 20 (mild to moderate anxiety)

Repertorial totality-

MIND- ANXIETY, health about

MIND- COMPANY, desire for

MIND- CONTRADICTION- aggravation

MIND- OCCUPATION- amelioration

MIND-TIMIDITY

STOMACH- PAIN- eating- agg- little, after

CHEST- OPPRESSION

SKIN-FORMICATION

GENERALS-SIDE-right

GENERALS- FOOD & DRINKS- sweets desire

GENERALS-TOBACCO- desire for tobacco

Repertorial result- Lycopodium $23/10^{[4,5,6]}$

Intervention- Lycopodium 1M single dose on 13/5/2024

Follow up-

Date	Symptoms	Medicine
28/5/2024	Mild improvement in anxiety.	SL-30 BD/15days
	Palpitations decreased.	•
	Relief in chest heaviness.	
	Overthinking reduced.	
13/6/2024	Much relief in anxiety.	SL-30 BD/15days
	Palpitations improved.	
	Chest heaviness decreased,	
	Mind calm.	

Outcome-

Before intervention- Assessment done on 13/5/2024.

FTND-ST score-6

HAM-A score- 20 (Moderate anxiety)

After intervention- Assessment done on 13/6/2024

HAM- A score- 09 (Mild anxiety)

13/05/2024

Tension

Insomnia

3

Hamilton Anxiety Rating Scale (HAM-A)

Feelings of tension, fatigability, startle response, moved to tears

Below is a list of phrases that describe certain feeling that people have. Rate the patients by finding the answer which best describes the extent to which he/she has these conditions. Select one of the five responses for each of the fourteen questions.

0 = Not present, 1 = Mild.2 = Moderate, 3 = Severe,4 = Very severe. 0 1 2 3 4 0 1 2 3 4 8 Anxious mood

Somatic (sensory) 3

Worries, anticipation of the worst, fearful anticipation, irritability. Tinnitus, blurring of vision, hot and cold flushes, feelings of weakness, pricking sensation.

0 1 2 3 4 2 Cardiovascular symptoms 0 1 2 3 4

easily, trembling, feelings of restlessness, inability to relax. Tachycardia, palpitations, pain in chest, throbbing of vessels, fainting

feelings, missing beat. **Fears** 0 1 2 3 4 2

10 Respiratory symptoms 0 1 2 3 4 Of dark, of strangers, of being left alone, of animals, of traffic, of

crowds. Pressure or constriction in chest, choking feelings, sighing, dyspnea.

0 1 2 3 4 11 Gastrointestinal symptoms 0 1 2 3 4

Difficulty in falling asleep, broken sleep, unsatisfying sleep and fatigue Difficulty in swallowing, wind abdominal pain, burning sensations, abdominal fullness, nausea, vomiting, borborygmi, looseness of on waking, dreams, nightmares, night terrors. bowels, loss of weight, constipation.

Intellectual 0 1 2 3 4 1

12 Genitourinary symptoms 0 1 2 3 4 Difficulty in concentration, poor memory.

Frequency of micturition, urgency of micturition, amenorrhea, 0 1 2 3 4 Depressed mood menorrhagia, development of frigidity, premature ejaculation, loss of

libido, impotence.

diurnal swing. 13 Autonomic symptoms 0 1 2 3 4 O

0 1 2 3 4 7 Somatic (muscular) Dry mouth, flushing, pallor, tendency to sweat, giddiness, tension

2

teeth, unsteady voice, increased muscular tone. 14 Behavior at interview 0 1 2 3 4

Fidgeting, restlessness or pacing, tremor of hands, furrowed brow, strained face, sighing or rapid respiration, facial pallor, swallowing, etc.

headache, raising of hair.

Pains and aches, twitching, stiffness, myoclonic jerks, grinding of

Loss of interest, lack of pleasure in hobbies, depression, early waking,

Fagerstrom Nicotine Dependence Scale-Smokeless Tobacco (FTND-ST)

Questions	Answers	Points	
How soon after you wake up do you place your first dip?	Within 5 min	3	
,	6 - 30 min	2 yes	
	31 – 60 min	1	
	After 60 min	0	
How often do you intentionally swallow tobacco juice?	Always	2	
	Sometimes	1 yes	
	Never	0	
Which chew would you hate to give up most?	The first one in the	The first one in the morning1	
	All others	0 yes	
How many cans/pouches per week do you use?	More than 3	2 yes	
	2- 3	1	
	1	0	
Do you chew more frequently during the first hours after awakening than during the	Yes	1 yes	
rest of the day?	No	0	
Do you chew if you are so ill that you are in bed most of the day?	Yes	1	
in bod most of the day:	No	0 yes	
		Total = 06	

Scoring Instructions: Add up responses to all items. A score of 5 or more indicates a significant dependence, while a score of 4 or less shows a low to moderate dependence.

*Heatherton, Todd F. et al. 1991 The Fagerström Test for Nicotine Dependence: A revision of the Fagerström Tolerance Questionnaire. British Journal of Addiction 86:1119-1127.

FTND-ST ON 13/05/2024 =6

MaineHealth
Center for Tobacco
Independence

CTIMaine.org Last Revised: 8/28/19

Hamilton Anxiety Rating Scale (HAM-A) Below is a list of phrases that describe certain feeling that people have. Rate the patients by finding the answer which best describes the extent to which he/she has these conditions. Select one of the five responses for each of the fourteen questions. 0 = Not present, 1 = Mild,2 = Moderate, 3 = Severe, 4 = Very severe. 0 1 2 3 4 Anxious mood 8 Somatic (sensory) 0 1 2 3 4 1 1 Worries, anticipation of the worst, fearful anticipation, irritability. Tinnitus, blurring of vision, hot and cold flushes, feelings of weakness, pricking sensation. 0 1 2 3 4 Tension Cardiovascular symptoms 0 1 2 3 4 Feelings of tension, fatigability, startle response, moved to tears easily, trembling, feelings of restlessness, inability to relax. Tachycardia, palpitations, pain in chest, throbbing of vessels, fainting feelings, missing beat. 0 1 2 3 4 **Fears** 10 Respiratory symptoms 0 1 2 3 4 Of dark, of strangers, of being left alone, of animals, of traffic, of Pressure or constriction in chest, choking feelings, sighing, dyspnea. crowds. Insomnia 0 1 2 3 4 Gastrointestinal symptoms 0 1 2 3 4 Difficulty in swallowing, wind abdominal pain, burning sensations, Difficulty in falling asleep, broken sleep, unsatisfying sleep and fatigue on waking, dreams, nightmares, night terrors. abdominal fullness, nausea, vomiting, borborygmi, looseness of bowels, loss of weight, constipation. 0 1 2 3 4 Intellectual Genitourinary symptoms Difficulty in concentration, poor memory. 0 1 2 3 4 Frequency of micturition, urgency of micturition, amenorrhea, Depressed mood 0 1 2 3 4 menorrhagia, development of frigidity, premature ejaculation, loss of libido, impotence. Loss of interest, lack of pleasure in hobbies, depression, early waking, diurnal swing. Autonomic symptoms 0 1 2 3 4 Somatic (muscular) 0 1 2 3 4 Dry mouth, flushing, pallor, tendency to sweat, giddiness, tension headache, raising of hair. Pains and aches, twitching, stiffness, myoclonic jerks, grinding of

Fidgeting, restlessness or pacing, tremor of hands, furrowed brow, strained face, sighing or rapid respiration, facial pallor, swallowing, etc.

Behavior at interview

0 1 2 3 4

Total score - 09 Mild anxiety

teeth, unsteady voice, increased muscular tone.

HAM-A ON 13/06/2024 =9

Discussion:-

Lycopodium medicine was selected on the basis of Totality of Symptoms and considering the constitution. Lycopodium 1M, single dose was given on 13/5/2024. After 15days, on 28/5/2024, first follow up was taken, which

shows much improvement in palpitations, anxiety levels. On second follow up on 13/6/2024, patient's anxiety was much improved in the areas of anxious mood, fear, tension, assessed through HAM-A.

Conclusion:-

Homeopathy works significantly when prescribed as per individualization. This case shows that Homeopathic medicine works in the management of anxiety associated with nicotine dependent patients. [7]

References:-

- 1. Sadock, B. J., Sadock, V. A., & Ruiz, P. (2015). Kaplan & Sadock's synopsis of psychiatry: Behavioral sciences/clinical psychiatry (12th ed.). Wolters Kluwer.
- 2. World Health Organization. (1992). The ICD-10 classification of mental and behavioural disorders: Clinical descriptions and diagnostic guidelines. World Health Organization.
- 3. American Psychiatric Association. (2022). Diagnostic and statistical manual of mental disorders (5th ed., text rev.). American Psychiatric Publishing.
- 4. Allen HC. Allen's keynotes & characteristics: With comparisons of some of the leading remedies of the materia medica with bowel nosodes. New Delhi, India: B Jain; 2022.
- 5. Boericke W. Pocket Manual of Homeopathic Materia Medica. New Delhi, India: B Jain; 2008.
- 6. Schroyens, F. (2023). RadarOpus: Homeopathic Software with Synthesis Repertory.
- 7. Hahnemann S. Organon of Medicine 5 and 6 Edition. B. Jain; 2013.